hydrobiologia volume 308 (1995), contents

no. 1

Copepods of the genus *Halicyclops* (Cyclopidae) from Belize
by C.E.F. da Rocha 1–11
Copepod parasites of a commercial clam (*Meretrix meretrix*) from Phuket, Thailand
by Ju-shey Ho & Il-Hoi Kim 13–21
Some remarks on the taxonomic status of *Paraschizopera* Wells, 1981 (Copepoda: Harpacticoida)
by R. Huys 23–28
Feeding the fairy shrimp *Streptocephalus* (Anostraca – Crustacea) with the rotifer *Anuraeopsis*
by K.R. Dierckens, S.S.S. Sarma, J. Mertens & H.J. Dumont 29–33
Role of plankton in the turnover of organic matter on the Great Barrier Reef, Australia
by Y.I. Sorokin 35–44
A multidisciplinary approach to the fine-systematics within *Tisbe* – an evaluation of morphological and molecular methods
by H.-U. Dahms & H.K. Schminke 45–50
The influence of photon flux density (PFD) on short term ^{14}C incorporation into proteins, carbohydrates and lipids in freshwater algae
by H. Rai 51–59
Biomass, production and activity of bacteria in the Black Sea, with special reference to chemosynthesis and the sulfur cycle
by Y.I. Sorokin, P.Y. Sorokin, V.A. Avdeev, D.Y. Sorokin & S.V. Ilchenko 61–76
Contrasting responses of oligochaete communities to the abatement of eutrophication in Lake Geneva
by C. Lang & O. Reymond 77–82

Announcements 83–84

no. 2

Distribution, diversity, life cycle and growth of a mayfly community in a prealpine stream system (Insecta, Ephemeroptera)
by C. Breitenmoser-Würsten & M. Sartori 85–101
Yeast diversity in a mesotrophic lake on the karstic plateau of Lagoa Santa, MG-Brazil
by C.A. Rosa, M.A. Resende, F.A.R. Barbosa, P.B. Morais & S.P. Franzot 103–108
Effects of nutrient addition on phytoplankton in Lake Nakanuma, Japan. II. Changes in uptake activities of inorganic carbon and nitrogen, and efficiency in synthesis of neutral sugars and amino acids in summer
by T. Miyazaki & S. Miyashita 109–116
The relationship between P, Fe and Mn uptakes by submersed rooted angiosperms
by M.R. Rattray 117–120

The reproductive and feeding biology of *Schilbe intermedius* Rüppell in the Okavango Delta, Botswana
by G.S. Merron & B.Q. Mann 121–129
Increased prey vulnerability as a result of prey–prey interactions
by F. Johansson 131–137
Food preference of the trichopteran larva *Anabolia nervosa* from two streams with different food availability
by D. Jacobsen & N. Friberg 139–144
Fatty acid composition as a taxonomic characteristic for *Microcystis* and other coccoid cyanobacteria (blue-green alga) isolates
by G.H.J. Krüger, H. De Wet, J.L.F. Kock & A.J.H. Pieterse 145–151
Effects of temperature and food level on growth and development of a planktonic water mite
by M.I. Butler & C.W. Burns 153–165

no. 3

The effects of water abstractions on invertebrate communities in U.K. streams
by E. Castella, M. Bickerton, P.D. Armitage & G.E. Petts 167–182
Assemblages of dytiscid predators and culicid prey in relation to environmental factors in natural and clear-cut boreal swamp forest pools
by A.N. Nilsson & B.W. Svensson 183–196
Spatial and temporal variability of saphrophytic bacteria in the surface waters of Paranaguá and Antonina Bays, Paraná, Brazil
by H.E. Kolm & T.M. Absher 197–206
Environmental and macroinvertebrate dynamics in the Lower Rhône River and a lateral dike field: a study matching two functioning descriptors
by E. Franquet, B. Cellot, D. Pont & M. Bournaud 207–217
Effects of methoprene and *Bti (Bacillus thuringiensis* var. *israelensis)* on non-target insects
by A.E. Hershey, L. Shannon, R. Axler, C. Ernst & P. Mickelson 219–227
Colonization of artificial substrates by benthos in a second-order high altitude river in Kenya
by J.M. Mathooko 229–234

Note

A note on El Niagara, a polluted reservoir in Aguascalientes, Mexico
by F.J. Flores-Tena & M. Silva-Briano 235–241

Erratum 243

Author index 245